



A7[®] LIQUID

**LONG-LASTING AMMONIA CONTROL
THAT SAVES YOU TIME**

GET AHEAD OF AMMONIA CHALLENGES

Managing ammonia in the house is critical for flock performance, and A7[®] Liquid makes it easier than ever. This **second-generation liquid litter amendment** offers **fast-acting and long-lasting ammonia control**, reduces **litter moisture**, lowers **pH**, and binds **phosphorus** – all in one powerful formula.

TRUSTED BY THE INDUSTRY

Approved by every major broiler integrator, A7[®] Liquid has earned its place as the go-to solution for complexes nationwide. It's proven, reliable, and designed with your production goals in mind.

EASY, FLEXIBLE APPLICATION

A7[®] Liquid is applied as a **coarse spray**, so it doesn't interfere with equipment or house setup. With a **3-5 day pre-placement window**, you can schedule treatment when it works best for your operation.

ENVIRONMENTALLY FRIENDLY

Binds phosphorus to make land application safer and qualifies for **EQIP standards** for air and water quality.



FIND US ON FACEBOOK





A7[®] LIQUID

LONG-LASTING AMMONIA CONTROL THAT SAVES YOU TIME

HOW IT WORKS

- **IMMEDIATE ACTION:** The sulfuric acid component drops pH quickly, bringing ammonia levels under control.
- **EXTENDED EFFECT:** A7[®] Liquid keeps working, maintaining lower pH for days and continuing to bind ammonia.
- **EXTRA BENEFITS:** Reduces litter moisture first then binds phosphorus for safer land applications and improved house conditions.

HOW IT HELPS YOUR FARM

- **FAST KNOCKDOWN:** Immediate ammonia control due to sulfuric acid component.
- **LASTING PROTECTION:** A7[®] Liquid continues working, keeping pH low and ammonia levels managed.
- **MOISTURE MANAGEMENT:** Binds excess water to create drier, more stable litter.

SUGGESTED APPLICATION GUIDELINES

A7 LIQUID APPLICATION RATES (GAL/1000 SQ FT)	SUMMER RATE			SPRING/FALL RATE			WINTER RATE		
	LOW AMMONIA CHALLENGE	HIGH AMMONIA CHALLENGE	DISEASE CHALLENGE	LOW AMMONIA CHALLENGE	HIGH AMMONIA CHALLENGE	DISEASE CHALLENGE	LOW AMMONIA CHALLENGE	HIGH AMMONIA CHALLENGE	DISEASE CHALLENGE
SMALL BIRDS (< 5 LBS)	20	25	+5	25	30	+5	30	35	+5
LARGE BIRDS (> 8 LBS)	25	30	+5	30	35	+5	35	40	+5

BEST PRACTICES FOR SUCCESS

- Apply **3 days before placement** and ensure litter prep is finished at least 3 days prior to application.
- Ensure all feeders, hoses, and cords are out of the way of the application equipment for better coverage.
- Ventilate properly before and after application.
- Allow to dry for a few hours before dropping equipment or curtains.
- Preheat and ventilate houses per integrator guidelines before chicks arrive.

WHAT YOU CAN EXPECT

- Healthier flocks and better paw quality
- Safer, drier litter
- Less labor and storage hassle with **custom application**
- Reduced disease risk with when using A7[®] Advantage formula

FIND US ON FACEBOOK

